



REVERB

• BACKLIT


ASSEMBLY INSTRUCTIONS




SET UP THE FRAME




IN THE BAG:
1x REVERB BACKWALL FRAME
1x REVERB FABRIC GRAPHIC
3x REVERB LED CURTAINS



INTERNAL FRAME LOCKS




ADJUSTABLE FEET






INSTALL THE CHANNEL BARS

CHANNEL BAR SET




↑ SEG GROOVE
FACES UP


INTERNAL CORD DIAGRAM




↓ SEG GROOVE
FACES DOWN




CHANNEL BAR CONNECTIONS



TOP CONNECTION



MID CONNECTION





BOTTOM CONNECTION




Back horizontal channel bars are included with the backlit REVERB frames. For double-sided straight or curved REVERB, they must be ordered separately.

INSTALL THE LED CURTAINS



LED CURTAIN SET




HANGER PLACEMENT
MID-FRAME DETAIL



HANGER PLACEMENT
BOTTOM FRAME DETAIL




ELECTRICAL
CONNECTION








TRANSFORMER
CONNECTION



INSTALL THE GRAPHIC




Tips: Use gloves and work on a clean site.
For curved structures, put the structure on the floor to set-up the graphic




SET UP THE BACKLIT COUNTER / FRONT VIEW


1. OPEN THE FRAME AND LOCK SIDE BRACKETS




2. CONNECT OUTSIDE CHANNEL BARS



3. INSTALL LED LIGHT CURTAIN



4. PLACE COUNTERTOP



5. INSTALL FABRIC GRAPHIC

